LAB CONFIRMED COVID-19 on presentation to ED				
Level of Care	Bed Placement	PPE required for patient transport	Directions to bed	PPE required for Direct Patient Care
CCU	2nd floor old CCU [231, 232, 233, 234]	Patient: Ear loop or blue cone mask + clean sheet Staff: Ear loop or blue cone mask	ER → hallway → elevator → MSU2 → through door by annex (see bed placement)	N95 or PAPR Gown (blue) Eye protection Gloves
Stepdown	MSU2 [213, 214, 215] Patients CAN be cohorted		ER → hallway → Elevator →MSU2 (see bed placement)	
Floor	MSU2 [start filling from 202 —> 210] Patients CAN be cohorted		ER → Hallway → Elevator → MSU2 (see bed placement)	
Post-surgical	For critical patients: 2nd Floor CCU Non-critical patients: MSU2 [start filling 202 —> 210]		OR 5 → Elevator → MSU2 (see bed placement)	
OB (gestation >20 weeks)	From ED directly to L&D [345]		ER → Hallway → Elevator → Negative Pressure Room in Labor and Delivery [Room 345]	
Emergency Surgery	From ED directly to OR (Pre and Post op performed in OR)	Patient: Ear loop or blue cone mask + clean sheet OR Staff: Ear loop or blue cone mask	ER → Hallway → Elevator → OR 5	N95 or PAPR appropriate surgical attire
Non-emergent surgery	MSU2 to OR (see post-surgical for new bed placement)		MSU2/Annex/2 nd floor CCU → Hallway → Elevator → OR 5	

PUI Identified in ED				
Level of Care	Bed Placement	PPE required for patient transport	Directions to bed	PPE required for Direct Patient Care
CCU	2nd floor Annex [5&6]	Patient: Ear loop or blue cone mask + clean sheet Staff: Ear loop or blue cone mask	ER \rightarrow hallway \rightarrow elevator \rightarrow MSU2 \rightarrow through door by annex \rightarrow 2 nd floor Annex [5&6]	N95 or PAPR Gown (blue) Eye protection Gloves
Floor	MSU2 [start filling from 210 —> 202]		ER → Hallway → Elevator → MSU2 (see bed placement)	
Post-surgical	For critical patients: 2nd Floor Annex [5&6] Non-critical patients: MSU2 [start filling 210 —> 202]		OR 5 → Elevator → MSU2 (see bed placement)	
OB (gestation >20 weeks)	From ED directly to L&D [345]		ER → Hallway → Elevator → Negative Pressure Room in Labor and Delivery [Room 345]	
Emergency Surgery	From ED directly to OR (Pre and Post op performed in OR)	Patient: Ear loop or blue cone mask + clean sheet OR Staff: Ear loop or blue cone mask	ER → Hallway → Elevator → OR 5	N95 or PAPR appropriate surgical attire
Non-emergent surgery	MSU2 to OR (see post-surgical for new bed placement)		MSU2/Annex/2 nd floor CCU → Hallway → Elevator → OR 5	

PUI Identified on a 3rd Floor CCU/MSU3/4th Floor				
Level of Care	Bed Placement	PPE required for patient transport	Directions to bed	PPE required for Direct Patient Care
CCU	2nd floor Annex [5&6]	Patient: Ear loop or blue cone mask + clean sheet Staff: Ear loop or blue cone mask	Patient room→ elevator→hallway→ MSU2 (see bed placement)	N95 or PAPR Gown (blue) Eye protection Gloves
Floor	MSU2 [start filling from 210 —> 202]		Patient room→ elevator→hallway→MSU2 (see bed placement)	
Emergency Surgery	From floor directly to OR (Pre and Post op performed in OR)	Patient: Ear loop or blue cone mask + clean sheet OR Staff: Ear loop or blue cone mask	Patient room → Hallway → Elevator → OR 5	N95 or PAPR appropriate surgical attire
Non-emergent surgery	From floor to OR (see post-surgical for new bed placement)		Patient room → Hallway → Elevator → OR 5	

All Other Patients				
Level of Care	Bed Placement consider appropriate Non-COVID19 isolation precautions	PPE required for patient transport	Directions to bed	PPE required for Direct Patient Care
CCU	3rd Floor CCU	Appropriate PPE per Isolation Precaution recommendations: Droplet Enhanced Droplet Contact Contact Plus	ER → hallway → elevator → MSU3 → CCU	Appropriate PPE per Isolation Precaution
Floor	MSU3		ER → Hallway → Dirty Elevator → MSU3 → place in med/surg bed	recommendations: Droplet Enhanced Droplet Contact
Post-surgical	For critical patients: 3rd Floor CCU Non-critical patients: 4th Floor		OR → Elevator → Med/surg bed (see bed placement)	Contact Plus
OB (gestation >20 weeks)	From floor directly to L&D does not need negative pressure		ER → Hallway → Elevator → Labor and Delivery	
Emergency Surgery	From ED directly to OR (Pre and Post op performed in OR)	Appropriate surgical transport attire	ER → Hallway → Elevator → OR	Appropriate surgical attire
Non-emergent surgery	MSU3 directly to OR (see post-surgical for new bed placement)		ER → Hallway → Elevator → Med/Surge Room (see post-surgical bed placement)	

Pediatric LAB CONFIRMED COVID-19 on presentation to ED				
Level of Care	Bed Placement	PPE required for patient transport	Directions to bed	PPE required for Direct Patient Care
CCU	Transfer If patient cannot be transferred: 2nd floor old CCU [231, 232, 233, 234]	Patient: Ear loop or blue cone mask + clean sheet Staff: Ear loop or blue cone mask	ER → hallway → elevator → MSU2 → through door by annex (see bed placement)	N95 or PAPR Gown (blue) Eye protection Gloves
Floor	Transfer If patient cannot be transferred: MSU2 [start filling from 202 -> 210]		ER → Hallway → Elevator → MSU2 (see bed placement)	
Post-surgical	For critical patients: 2nd Floor CCU Non-critical patients: MSU2 [start filling from 202 —> 210]		OR → Elevator → MSU2 (see bed placement)	
Emergency Surgery	Transfer If patient cannot be transferred: From ED directly to OR (Pre and Post op performed in OR)	Patient: Ear loop or blue cone mask + clean sheet OR Staff: Ear loop or blue cone mask	ER → Hallway → Elevator → OR 5	N95 or PAPR appropriate surgical attire
Non-emergent surgery	MSU2 to OR (see post-surgical for new bed placement)		ER→ Hallway → Elevator → MSU2 (see bed placement) → hallway → elevator → OR 5	

Pediatric PUI Identified in the ED				
Level of Care	Bed Placement	PPE required for patient transport	Directions to bed	PPE required for Direct Patient Care
CCU	Transfer If patient cannot be transferred: 2nd Floor Annex [5&6]	Patient: Ear loop or blue cone mask + clean sheet Staff: Ear loop or blue cone mask	ER → hallway → elevator → MSU2 → through door by annex → 2 nd floor Annex [5&6]	N95 or PAPR Gown (blue) Eye protection Gloves
Floor	Transfer If patient cannot be transferred: MSU2 [start filling from 210 -> 202]		ER → Hallway → Elevator → MSU2 (see bed placement)	
Post-surgical	For critical patients: 2nd Floor Annex [5&6] Non-critical patients: MSU2 [start filling from 210 —> 202]		OR 5 → Elevator → MSU2 (see bed placement)	
Emergency Surgery	Transfer If patient cannot be transferred: From ED directly to OR (Pre and Post op performed in OR)	Patient: Ear loop or blue cone mask + clean sheet OR Staff: Ear loop or blue cone mask	ER → Hallway → Elevator → OR 5	N95 or PAPR appropriate surgical attire
Non-emergent surgery	MSU2 to OR (see post-surgical for new bed placement)		MSU2/Annex/2 nd floor CCU → Hallway → Elevator → OR 5	

All Other Pediatric Patients				
Level of Care	Bed Placement consider appropriate Non- COVID19 isolation precautions	PPE required for patient transport	Directions to bed	PPE required for Direct Patient Care
CCU	Transfer If patient cannot be transferred: 3rd floor CCU	Appropriate PPE per Isolation Precautions recommendations: Droplet Enhanced Droplet Contact Contact Plus	ER → hallway → elevator → MSU3 → CCU	Appropriate PPE per Isolation Precautions recommendations: Droplet Enhanced Droplet Contact Contact Plus
Floor	Transfer If patient cannot be transferred: MSU3		ER → Hallway → Elevator → MSU3 → place in med/surg bed	
Post-surgical	For critical patients: 3rd Floor CCU Non-critical patients: 4th Floor		OR → Elevator → Med/surg bed (see bed placement)	
Emergency Surgery	Transfer If patient cannot be transferred: From ED directly to OR (Pre and Post op performed in OR)	Appropriate surgical transport attire	ER → Hallway → Elevator → OR	Appropriate surgical attire
Non-emergent surgery	MSU3 to OR (see post-surgical for new bed placement)		ER → Hallway → Elevator → Med/Surge Room (see post-surgical bed placement)	